the above conditions, the money deposited as security shall be forfeited to Government in whole or in part as the Conservator of Forests may decide and the lease liable to be cancelled.

6. The sale does not prohibit the issue of retail licenses at seigniorage rates or the exercise of the rights of the villagers.

Note.—Interest at 9 per cent per annum will be levied on all arrears of amounts which are permitted to be paid after the due date.

K. KRISHNASWAMY,
District Forest Officer.

CHITALDRUG DISTRICT.

Abstract Notification dated 3rd October 1935.

The attention of the public is invited to the detailed notification published on page 1811 of Part VI of the *Mysore Gazette*, dated 26th September 1935, regarding the sale of Honge seeds and leaves during the month.

D. NARASIMHAMOORTI RAO,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notice dated 24—25th September 1935.

The attention of the public is invited to the Notification calling for tenders for providing Sanitary fittings to the several wards of the Victoria Hospital, Bangalore, published on pages 1845-1846, Part VI of the *Mysore Gazette*, dated 10th October 1935.

The last date for receipt of tenders is 29th October 1935.

K. S. HUTCHA RAO,
Sanitary Engineer incharge.

Notification dated 14th October 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 16th November 1935, for laying Sub-Main Sewer No. 1 in Cottonpet, Akkipet and Tholasithotam areas of Bangalore City. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by 31st May 1936.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 1,000 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for Laying Sub-Main Sewer No. 1, in Cottonpet, Akkipet, and Tholasithotam areas of Bangalore City," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Director of Health in Mysore who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract estimate of quantities of work for Laying Sub-Main Sewer No. 1 in Cottonpet, Akkipet and Tholasithotam areas, Bangalore City.

No.	Particulars	Unit	Quantity
1	Earthwork excavation for laying pipe sewers and refilling the earth with consolidation including barricading, lighting, shoring, water bailing, slush removing, etc., complete	C.yd.	2,740
2	Carting surplus wet earth and slush to a lead of 1½ miles	„	274
3	Supplying and laying "tested" stoneware pipes including caulking with hemp and jointing with cement and testing the pipe line with water, etc., complete		
	Stoneware pipes of 15″ diameter	R.ft.	1,408
	Do of 18″ do	„	1,185
4	Constructing circular manholes of 4 ft. diameter inside, with 1 ft. thick bed of cement concrete for 7 ft. diameter, sides with approved and radial wire cut bricks in cement mortar of 1½ ft. thick, top portion conical section, supplying and fixing cast iron frame and lid of 1′—9″ diameter and 4 Cwts. in weight, benching and cement concrete drain in bed for ¾ths height of the pipe, cement plastering ½″ thick inside and exposed parts outside, including supplying and fixing cast iron steps inside the manholes at 1′—3″ intervals including earth work excavation, slush removing, shoring, water bailing and refilling the back portion, etc., complete.—		
	Manholes 5′ to 6′ deep	Each	8
	Do 6′ to 7′ „	„	9
	Do 7′ to 8′ „	„	5
	Do 8′ to 9′ „	„	4
	Do 9′ to 10′ „	„	1
	Do 10′ to 11′ „	„	1
5	Supplying "tested" quality stoneware pipes of 4″ diameter for house connections, laying and jointing with cement and hemp including earthwork excavation and refilling earth with consolidation, etc., complete	R.ft.	4,000
6	Supplying and fixing stoneware gully traps of 6″×4″ with cast iron grating and constructing cisterns with burnt brick in cement mortar, earthwork, cement plastering, etc., complete for house connections	Each	200
7	Constructing cisterns of 12″×12″ inside with burnt brick in cement mortar, and cement plastering including supplying and fixing cast iron frame and hinged lid, etc., complete for house connections	„	50
8	Making connections to the pipe sewers by boring holes and jointing the house connection line with cement concrete and with the necessary stoneware bends including earthwork, etc., complete.	„	150
9	Constructing ventilating shafts with boiler tube of 4″ diameter and 16′ height with brick and cement masonry and cement plastering including connection to the manhole with necessary bends with 4″ zinc ornamental cowl on top	„	2

Notification dated 14th October 1935.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M., on 16th November 1935, for Laying Street Sewers of No. 1 Sub-Main Sewer of Bangalore City. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by 31st May 1936.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 3,000 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for Laying Street Sewers of No. 1 Sub-Main Sewer of Bangalore City," in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Director of Health in Mysore who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office, in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, lighting site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Director of Health will be final and legally binding.

Abstract estimate of quantities of work for "Laying Street Sewers of No. 1 Sub-Main Sewer in Cottonpet, Akkipet and Tholasithotam areas, Bangalore City."

No.	Particulars	Unit	Quantity
1	Earthwork excavation for laying pipe sewers and refilling the earth with consolidation including barricading, lighting, shoring, water bailing, slush removing etc., complete	C.yd.	12,314
2	Carting surplus wet earth and slush to a lead of 1½ miles ..	,,	1,23[illegible]
3	Supplying and laying "tested" stoneware pipes including caulking with hemp and jointing with cement and testing the pipe line with water, etc., complete.—		
	Stoneware pipes of 7" diameter	R.ft.	24,741
4	Constructing circular manholes of 4 ft. diameter inside, with 1 ft. thick bed of cement concrete for 7 ft. diameter, sides with approved and radial wire cut bricks in cement mortar of 1½ ft. thick, top portion conical section, supplying and fixing cast iron frame and lid of 1'—9" diameter and 4 cwts. in weight, benching and cement concrete drain in bed for ¾ths. height of the pipe, cement plastering ½" thick inside and exposed parts outside, including supplying and fixing cast iron steps inside the manholes at 1'—3" intervals including earthwork excavation, slush removing, shoring, water bailing and refilling the back portion, etc., complete.—		
	Manholes up to 4 ft. deep	Each	54
	Do 4' to 5' ,, ...	,,	71
	Do 5' to 6'	,,	44
	Do 6' to 7' ,, ...	,,	12
5	Supplying "tested" quality stoneware pipes of 4" diameter for house connections, laying and jointing with cement and hemp including earthwork excavation and refilling earth with consolidation, etc., complete	R.ft.	12,000
6	Supplying and fixing stoneware gully traps of 6"×4" with cast iron grating and constructing cisterns with burnt brick in cement mortar, earthwork, cement plastering, etc., complete for house connections	Each	1,200

No.	Particulars	Unit	Quantity
7	Constructing cisterns of 12″×12″ inside with burnt brick in cement mortar, and cement plastering including supplying and fixing cast iron frame and hinged lid, etc., complete for house connections	Each	412
8	Making connections to the pipe sewers by boring holes and jointing the house connection line with cement concrete and with the necessary stoneware bends including earthwork, etc., complete.	,,	1,200
9	Constructing ventilating shafts with boiler tube of 4″ diameter and 16′ height with brick and cement masonry and cement plastering including connection to the manhole with necessary bends with 4″ zinc ornamental cowl on top	,,	8
10	Constructing flush tanks with brick and cement, including cement concrete bed and cement plastering with cast iron syphon and the necessary flushing arrangements for a capacity of 500 gallons	,,	8

K. S. HUTCHA RAO,
For *Sanitary Engineer.*

BUILDINGS DIVISION, BANGALORE.

Abstract Notification dated 30th September 1935.

The attention of the public is invited to the notification calling for tenders for "Extending the New "A" Station at Bangalore by 30′ to the North of the existing building, published on pages 1847-1848 of Part VI of the *Mysore Gazette,* dated 10th October 1935.

2. The last date of receiving tenders is 18th October 1935.

A. TANDONI RAO,
Executive Engineer.

BANGALORE DIVISION.

Abstract Notification dated 26th September 1935.

The attention of the public is hereby invited to the detailed notification inviting sealed tenders for improving the capacity of Honnaikanhalli tank, Channapatna Taluk, published on pages 1849-1850 of Part VI of the *Mysore Gazette,* dated 10th October 1935.

The last date for the receipt of the tender is 2 P.M. on 21st October 1935 and the earnest money to accompany the tender is Rs. 90.

M. A. SRINIVASACHARI,
Executive Engineer.

SHIMOGA DIVISION.

Abstract Notification dated 24th September 1935.

The attention of the public is invited to the advertisement in pages 1850-1852 of Part VI, of the *Mysore Gazette,* dated 10th October 1935, calling for tenders for "Improvements to Men's and Women's Dispensaries at Sagar, Sagar Taluk."

Each tender must be accompanied by a Treasury challan for having deposited a security deposit of Rs. 100 in the first instance. A further deposit of Rs. 250 is to be credited to Treasury after the tenders are accepted.

The last date for receiving tenders is 2 P.M. on Monday the 21st October 1935.

B. KRISHNA RAO,
Executive Engineer.